


**Product Type:** Optically Clear Protection Tape

**Colour:** Clear

**Roll Size:** 6mm to 600mm in 50m Lengths

**Adhesive:** Solventless Acrylic



**Description:** A single sided PET tape with a clean-remove solventless acrylic adhesive. It has excellent anti-abrasion and anti-aging characteristics. Offers clean, easy removal and high temperature resistance and excellent stability when applied.

**Application:** Designed for the protection of doors, shelves and accessories in the electrical, white goods and automotive industries. Also for use as a screen protector on displays.

**Technical Details:**

|                      |                |
|----------------------|----------------|
| Gauge:               | 0.15mm         |
| Tensile Strength:    | 60 N/cm        |
| Adhesion to Steel:   | 0.8 N/cm       |
| Service Temperature: | -30°C to 120°C |

**Surface Preparation:** The surface on which the tape is to be used must be clean, dry and free from grease and dust. Remember that pressure sensitive adhesive must be applied with the maximum possible pressure in order to achieve maximum adhesion levels. The recommended application temperature is between 15°C and 25°C.

**Storage:** Tapes stored below the minimum application temperature will require warming up to that level before use. Up to 24 hours may be required for this to take place.

**DISCLAIMER:**

**Values:** All values presented have been determined by standard test methods and are average values only.

**Recommendations:** Whilst we are happy to recommend products from our range for applications, it is imperative that the customer/user complete their own tests to determine suitability for their application under "working conditions" and if longevity is important, that ageing tests be carried out.

**Warranty:** We can only warranty our products to the level that they are consistent with our Product Information Sheet values

**BUT CANNOT accept any responsibility or liability direct or consequential for loss or damage caused as a result of our recommendations.**